Standard Operating Procedures (SOP) sample

For the Laboratory Use of Engineered Nanomaterials

Instructions: Review the *Quick Guide: Risk Levels and Control Measures for Nanomaterials*. Use this template to develop a Standard Operating Procedure for your experiment / process.

	PROCEDURE TITLE:					
	Use of fluorescent nanocrystals as biological markers					
DATE OF CREATION/ REVISION:						
	09/24/2011					
	Location:					
	(Building, Room #) Sproul Hall 4127					
	PRINCIPAL INVESTIGATOR (PI) OR LABORATORY	SUPERVISOR NAME:	PHONE:		EMAIL:	
	Jane Doe		(951) 827-6303		jane.doe@university.edu	
^			` '			
Overview	DESCRIPTION. PROVIDE A 1-2 SENTENCE BRIEF DESCRIPTION OF THE PROCESS. INDICATE IF AEROSOLS ARE LIKELY TO BE CREATED.					
	To achieve high optical density, mainte	ain thinness, and p	revent photodegred	dation, flu	orescent nanocrystals will be	2
<u> </u>	used (over organic dyes) as biological i					
	(polymer spheres) to avoid slow recogn				of immedemposites	
)	(polymer spheres) to avoid slow recogn	mon kinems and	nign non-specific v	onuing.		
	MATERIAL STATE AND CONDITIONS OF USE	FREQUENCY (check o	ne).	DURAT	ION PER EXPERIMENT:	
	MITTERINE STATE AND CONDITIONS OF CISE	☐ ONE TIME	ne).	Domin	TOTAL EXTERNISH TO	
	Nanomaterials are handled in/as:					
	☐ DRY PARTICLES (POWDERS / PELLETS)	✓ WEEKLY		4	30	
	☑ SUSPENSION / GELS	☐ MONTHLY		-	MINUTES; OR HOU	IRS
	☐ GASEOUS PHASE	☐ OTHER:			NINCTES, ORNOC)KS
		•		•		
	RISK LEVEL:		_			
	CATEGORY 1: L	OW POTENTIAL F	OR EXPOSURE			
	□ CATEGORY 1: L			JRE		
	☐ CATEGORY 1: L. ☑ CATEGORY 2: M.	IODERATE POTEN	TIAL FOR EXPOSU	JRE		
	□ CATEGORY 1: L	IODERATE POTEN	TIAL FOR EXPOSU	JRE		
	☐ CATEGORY 1: L. ☑ CATEGORY 2: M. ☐ CATEGORY 3: H.	IODERATE POTEN IGH POTENTIAL F	TIAL FOR EXPOSU OR EXPOSURE		V DATA SHEET (MSDS) FOR THE	
	☐ CATEGORY 1: L. ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE	ODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA	TIAL FOR EXPOSUTE EXPOSURE	ERIAL SAFETY		
	☐ CATEGORY 1: LA	ODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA	TIAL FOR EXPOSU OR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT	ERIAL SAFETY ER THAN THE	E PARENT COMPOUND. SPECIAL	
	☐ CATEGORY 1: LA	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA	TIAL FOR EXPOSU FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA	ERIAL SAFETY ER THAN THE ARD TO POTE	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION,	
	☐ CATEGORY 1: LA	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF	TIAL FOR EXPOSU FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGAL ANY PRECURSOR MATER	ERIAL SAFETY ER THAN THE ARD TO POTE	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION,	
SO	☐ CATEGORY 1: LA	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF	TIAL FOR EXPOSU FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGAL ANY PRECURSOR MATER	ERIAL SAFETY ER THAN THE ARD TO POTE	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION,	
SDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLANI	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH".	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	
ARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M ☐ CATEGORY 3: H POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLANI Chalcogen oxide is harmful if inhaled	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	
ZARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLAN! Chalcogen oxide is harmful if inhaled Cadmium Selenide (CdSe) is harmful it	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e
Jazards	☐ CATEGORY 1: LA ☐ CATEGORY 2: M ☐ CATEGORY 3: H POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLANI Chalcogen oxide is harmful if inhaled	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e
HAZARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLAN! Chalcogen oxide is harmful if inhaled Cadmium Selenide (CdSe) is harmful it	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e
HAZARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLAN! Chalcogen oxide is harmful if inhaled Cadmium Selenide (CdSe) is harmful it	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e
HAZARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLAN! Chalcogen oxide is harmful if inhaled Cadmium Selenide (CdSe) is harmful it	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e
HAZARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLAN! Chalcogen oxide is harmful if inhaled Cadmium Selenide (CdSe) is harmful it	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e
HAZARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLAN! Chalcogen oxide is harmful if inhaled Cadmium Selenide (CdSe) is harmful it	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e
HAZARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLAN! Chalcogen oxide is harmful if inhaled Cadmium Selenide (CdSe) is harmful it	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e
HAZARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLAN! Chalcogen oxide is harmful if inhaled Cadmium Selenide (CdSe) is harmful it	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e
HAZARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLAN! Chalcogen oxide is harmful if inhaled Cadmium Selenide (CdSe) is harmful it	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e
HAZARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLAN! Chalcogen oxide is harmful if inhaled Cadmium Selenide (CdSe) is harmful it	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e
HAZARDS	☐ CATEGORY 1: LA ☐ CATEGORY 2: M. ☐ CATEGORY 3: H. POTENTIAL HAZARDS. IDENTIFY POTENTIAL CHE NANOMATERIAL OR PARENT COMPOUND. THE TO CONSIDERATION SHOULD BE GIVEN TO THE HIGH I PARTICULARLY IF SCALING UP THE PROCESS. CON INFORMATION, REFER TO THE SECTION ON "PLAN! Chalcogen oxide is harmful if inhaled Cadmium Selenide (CdSe) is harmful it	IODERATE POTEN IGH POTENTIAL F EMICAL AND SAFETY HA XICITY OF THE NANOMA REACTIVITY OF SOME NA SIDER THE HAZARDS OF NING YOUR RESEARCH". or ingested. Chem	TIAL FOR EXPOSURE ZARDS USING THE MATE TERIALS MAY BE GREAT ANOPOWDERS WITH REGA ANY PRECURSOR MATER ical is incompatible	ERIAL SAFETY ER THAN THE ARD TO POTE RIALS IN EVA	E PARENT COMPOUND. SPECIAL NTIAL FIRE AND EXPLOSION, LUATING THE PROCESS. FOR MORE	e

INSTRUCTIONS: INDICATE THE ENGINEERING, WORK PRACTICE, AND PERSONAL PROTECTIVE EQUIPMENT (PPE) CONTROLS YOU WILL BE IMPLEMENTING TO REDUCE THE HAZARDOUS EFFECTS OF WORKING WITH YOUR NANOMATERIALS. BASE YOUR SELECTION ACCORDING TO THE "QUICK GUIDE" SECTION.

ENGINEERING CONTROLS. INDICATE ENGINEERING DEVICE(S) TO BE UTILIZED. NOTE: IF WORK CANNOT BE CONDUCTED WITH APPROPRIATE ENGINEERING CONTROLS, CONSULT WITH AN EH&S PROFESSIONAL.							
ENGINEERING CONTROLS, CONSULT WITH AN EH&S PROFESSIONAL. □ FUME HOOD (laboratory-type) □ BIOSAFETY CABINET (must be ducted if used in conjunction with volatile compounds) □ ENCLOSED SYSTEM (i.e., glove box, glove bag, or sealed chamber) □ POWDER HANDLING ENCLOSURE □ OTHER:							
WORK PRACTICE CONTROLS. THE FOLLOWING CONTROLS WILL BE IMPLEMENTED (check all that apply):							
☑ Category 1 work practices	☑ Category 2 work practices ☐ Category 3 work practices						
SUPERVISOR BEFORE PERFORMING:	Category 1. Category 2. RESTRICT ACCESS. POST signs in area USE antistatic paper and/or sticky mats with powders.						
Other Describe any Additional Wo	ORK PRACTICES SPECIFIC TO THE EXPERIMENT / PROCESS:						
PERSONAL PROTECTIVE EQUIPMENT Body Protection:	(PPE). INDICATE THE PPE TO BE UTILIZED (check all that apply): ✓ Long pants (no cuffs)						
Body Protection.	 ✓ Long pants (no cuffs) ☐ Laboratory coat made of standard materials ✓ Laboratory coat made of non-woven fabrics with elastics at wrists (i.e., Tyvek®) ☐ Coveralls (disposable) with head coverage (i.e., Tyvek®) 						
Eye / Face Protection:	Eye / Face Protection: □ Safety glasses with side shields □ Chemical splash goggles □ Face shield						
Hand Protection:	□ Latex ☑ Nitrile (2 layers) □ Neoprene □ Vinyl □ Other:						
Foot Protection:	☑ Closed toe shoes ☐ Over-the-shoe booties						
Other:	☐ Respiratory Protection* ☐ Other:						

^{*} Consult with your institution on respiratory program requirements

LOCATION OF NEAREST EMERGENCY EQUIPMENT:

Item:	Location
Eyewash / Safety Shower	Outside main door of in Sproul Hall 4127
First Aid Kit	Under sink in Sproul Hall 4127
Chemical Spill Kit	Under sink in Sproul Hall 4127
Fire Extinguisher	On the fourth floor of Sproul Hall, near restrooms
Telephone	On desk in corner of Sproul Hall 4127
Fire Alarm Manual Pull Station	On the fourth floor of Sproul Hall, near restrooms

DESCRIBE INSTITUTION'S EMERGENCY PROCEDURES:

Follow "In Case of an Accident" poster affixed to laboratory door

Personnel Exposure procedures

- Flush contamination from eyes/skin using the nearest emergency eyewash /shower for a minimum of 15 minutes. Remove any contaminated clothing.
- Take copy of MSDS(s) of chemical(s) when seeking medical treatment.
- 3. Report potential exposures to your Principal Investigator/Laboratory Supervisor.
- 4. File an incident report with your institution.

Spill Response procedures

- Notify. Alert workers near spill to avoid entering the area. Post signs in area or on door of lab. Eliminate sources of ignition. Report spill to your Principal Investigator/Lab Supervisor.
- 2. **Assess.** Are you able to cleanup spill yourself?

Proceed with **Spill Cleanup** if it is a small spill (i.e., 30 mL), you are knowledgeable about the hazards of the spill, it can be cleaned up within 15 minutes, and an appropriate spill kit is available.

F NO

Obtain spill assistance. Contact your institution's hazardous materials unit.

Cleanup Spill. Wear existing PPE (NOTE: Respiratory protection may be required if spill / release is outside the engineering control device).

For powders:

- Use a dedicated, approved HEPA vacuum whose filtration effectiveness has been verified.
- Do not sweep dry nanoparticles or use compressed air.
- Consider possible pyrophoric hazards associated with vacuuming up nanoparticles.
- Wet wipe using damp cloths with soaps or cleaning oils, or commercially available wet or electrostatic microfiber cleaning cloths. Consider possible reactivity of nanoparticles with the wipe solvent.

For liquid dispersions:

- Apply absorbent material (appropriate for the solvent in the dispersion) to liquid spill.
- 4. Dispose. Dispose of used cleaning materials and wastes as hazardous waste.
- 5. Report. File incident report with your institution.

GENERAL SAFETY TRAINING. DESCRIBE YOUR INSTITUTION'S GENERAL LABORATORY SAFETY TRAINING.

Laboratory Safety Orientation, Hazardous Waste Management, and Chemical Hygiene are required of all users prior to working in the laboratory. All courses are available online at http://www.university.edu

LABORATORY-SPECIFIC TRAINING. (CHECK ALL THE APPLY)

- **☑ REVIEW** THIS NANOTOOL
- ☑ **REVIEW** THE MSDS FOR THE NANOMATERIAL(S), *if available*
- ✓ **REVIEW** THE MSDS FOR OTHER CHEMICALS INVOLVED IN THE EXPERIMENT / PROCESS
- **☑ REVIEW THIS SOP**
- □ OTHER:

			contain the word "nano" as a descriptor.
		3.	Keep containers closed at all times when not in use.
		4.	Maintain containers in good condition and free of exterior contamination.
		-	
	v	5.	Collect waste in rigid container with tight fitting lid.
$\overline{\mathbf{V}}$	Liquid	1.	Manage according to hazardous waste program requirements at your
	Suspensions containing ENMs	,	institution.
		2.	Label nanomaterial waste containers at all times. Specify the
			nanomaterial and its hazard characteristic (or the hazard characteristic
			of the parent material) on container labels; label information to
		3.	contain the word "nano" as a descriptor.
			Keep containers closed at all times when not in use.
		4.	Maintain containers in good condition and free of exterior contamination.
		5.	Indicate both the chemical constituents of the solution and their
			hazard characteristics, and the identity and approximate percentage
			of ENMs on container labels.
		6.	Use leak proof containers that are compatible with all contents.
		7.	Place liquid waste containers in secondary containment and segregate
			from incompatible chemicals during storage.
$\overline{\checkmark}$	Laboratory trash with trace	1.	Manage according to hazardous waste program requirements at your
	nanomaterials		institution.
	• PPE	2.	Label nanomaterial waste containers at all times. Specify the
	Sticky mats		nanomaterial and its hazard characteristic (or the hazard characteristic
	Spill clean-up materials		of the parent material) on container labels; label information to
			contain the word "nano" as a descriptor.
		3.	Keep containers closed at all times when not in use.
		4.	Maintain containers in good condition and free of exterior contamination.

Management Method

institution.

2.

Manage according to hazardous waste program requirements at your

nanomaterial and its hazard characteristic (or the hazard characteristic of the parent material) on container labels; label information to

Dispose of in double clear plastic bags, folded over and taped at the

Consult with your EH&S department, as these materials may be non-

Avoid rupturing the bags during storage and transport.

Label nanomaterial waste containers at all times. Specify the

DESCRIBE INSTITUTION'S WASTE MANAGEMENT PROCEDURES HERE (IF APPLICABLE):

INDICATE THE NANOMATERIAL WASTE MANAGEMENT PROCEDURES TO BE UTILIZED.

• Debris / dust from ENMs bound in matrix

Waste Stream

Dry ENM product Filter media containing ENMs

Solid

Use the University Online Tag Program (OTP) to schedule pickup of hazardous waste with EH&S.

5.

6.

hazardous.

Acknowledge	ement. By signing this
form the indiv	idual certifies that the
information p	rovided is true and
correct to the	best of their knowledge

Solid Matrix

embedded with nanomaterials (intact and in good condition)

Jane Doe

DATE:

09/24/2011